



**DAMP**  
Rating IP43



**Hamilton Air**  
PREMIUM FANS



# PANDONA - CEILING FAN

**V150e**  
EXTERNAL ROTOR PMSM

DIAMETER 1.5M - 3M

# V150e

EXTERNAL ROTOR PMSM



## Intelligent portable remote control

The RF controller or optional Wi-Fi touch wall control optimizes HVAC performance, helping to reduce electricity costs by up to 25%.



## External rotor motor

Lightweight structure, suitable for installation in various spaces. Compatible with standard ceiling structures. Installation certified by the manufacturer.



## LED light kits

- The adjustable brightness PANDONA LED light kit offers 5700K/4000K/3000K with three color temperature options, giving you full control over the lighting in your living space.



## Customize colors

- Designed for gallery-quality aesthetics and crafted for real-world conditions, PANDORA offers customizable colors to match your décor or company branding.

- PANDONA ceiling fan is notable for its advanced PMSM (Permanent Magnet Synchronous Motor), which ensures energy efficiency and superior performance.
- The airfoil blades, crafted from aircraft-grade aluminum, feature a patented winglet design that reduces both wind resistance and noise, enhancing its quiet operation.
- PANDORA is sleek and lightweight design makes it an excellent fit for modern interiors, particularly in spaces with lower ceilings or where a more open, non-oppressive atmosphere is desired. Its blend of aesthetic appeal and quiet, efficient performance makes it an ideal choice for both residential and commercial settings, where comfort and design are key considerations.
- The PANDONA ceiling fan with LED light kit options adds an extra layer of functionality and aesthetic appeal to its sleek design. These integrated LED kits provide energy-efficient lighting solutions that complement the fan's modern look, allowing users to enjoy both air circulation and illumination in one unit.



## Designed Airfoils with Winglet Plus


- The airfoils use Winglet Plus which can cover 28% more area than the regular 0-degree airfoils.
- Integrated molding with light weight, and easy to clean; The reinforced structure has stronger resistance to deformation and fracture

# V150e


EXTERNAL ROTOR PMSM



Royal Blue Aluminium



Black Aluminium



White Aluminium

# V150e


EXTERNAL ROTOR PMSM



Cocoa Woodgrain Aluminium



Caramel Woodgrain Aluminium



## ► SPECIFICATION

SPECIFICATION				
Dimension	5ft (1.5m)	6.5ft (2m)	8ft (2.5m)	10ft (3m)
Power Source	220-240 VAC, 1Φ, 50/60Hz			
Weight	18 kg	20 kg	22 kg	24 kg
Speed (Max)	180 RPM	120 RPM	105 RPM	95 RPM
Power Consumption (Max)	100 W	110 W	180 W	280 W
Noise	<36 dB(A)			
Rated Current (Max)	5.13 A			
IP Rating	IP43 (Indoor/Outdoor)			
Control	Remote RF Control / Touch WiFi Wall DC Control			

\* Specifications are subject to change without notice. Final spec. please visit HAMILTON AIR website at [www.hamiltonair.vn](http://www.hamiltonair.vn).



Memorial Hall




Enterprise showroom



Office



Library



**Hamilton Air**  
PREMIUM HVLS FANS



Hamilton Air, we take pride in being a leading provider of cooling solutions with high-performance, energy-efficient fans. Whether you have an industrial complex or a small shop, our airflow experts are always ready to make your life easier, more comfortable, and more cost-effective.

